



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 10/645,350      | 08/21/2003  | Teng Ma              | 31864.UT            | 7063             |

7590 08/24/2004

Allen, Dyer, Doppelt, Milbrath & Gilchrist, P.A.  
255 South Orange Avenue, Suite 1401  
P.O. Box 3791  
Orlando, FL 32802-3791

EXAMINER

KETTER, JAMES S

ART UNIT PAPER NUMBER

1636

DATE MAILED: 08/24/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

10/645,350

Applicant(s)

MA, TENG

Examiner

James S. Ketter

Art Unit

1636

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-31 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 16-31 is/are allowed.
- 6) ☒ Claim(s) 1, 2, 6, 8, 9 and 11 is/are rejected.
- 7) ☒ Claim(s) 3-5, 7, 10 and 12-15 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 21 August 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_.

Art Unit: 1636

The use of the trademarks "StemCell Technologies Inc." (p. 17, line 15), "Sigma" (p. 17, line 24), "Minitab 11 for Windows" (p. 18, line 8) and "Minitab, Inc." (p. 18, line 8) has been noted in this application. They should be capitalized wherever they appear and be accompanied by the generic terminology.

Although the use of trademarks is permissible in patent applications, the proprietary nature of the marks should be respected and every effort made to prevent their use in any manner which might adversely affect their validity as trademarks.

Claims 3-5, 7, 10 and 12-15 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims. Claims 16-31 are allowed.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 2, 6, 8, 9 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rainger et al. (U, newly cited).

The instant claims are drawn to a bioreactor having plural cell chambers, at least one cell medium reservoir, conduits connecting the cell chambers to the reservoir, a pump to move cell medium through the conduits and chambers, and a three-dimensional matrix of polyethylene terephthalate in each chamber, and at least two openings from each, one to the pump and the other to the reservoir. Claim 2 specifies that the chambers

Art Unit: 1636

are connected in parallel. Claim 6 specifies an oxygen tension of 1% to 20%. Claim 8 specifies a pH of 7.0 to 7.4. Claim 9 specifies that there is a valve to control flow into each channel. Claim 11 specifies that there is a means of supplying an effective cell culture temperature.

Rainger et al. teaches, e.g., as shown in Figure 6, the bioreactor having a cell chamber, which is taught at, e.g., the Abstract, to have a porous polyethylene terephthalate growth surface therein, connected through conduits to a reservoir of cell growth medium, controlled by a valve, and to a pump on the other side of the system. The entire system is maintained inside a 37<sup>0</sup> C enclosure. An oxygen tension of 1% to 20% would have been inherent to permit mammalian cell growth, as would a pH of 7.0 to 7.4. The invention of Rainger et al. differs from the claimed invention in not teaching the arrangement with multiple, parallel cell chambers. However, MPEP § 2144.04(VI.)(B.), citing In re Harza (124 USPQ 3789CCPA 1960)), makes clear that the mere duplication of a part would have been prima facie obvious absent a new and unexpected result.

Any inquiry concerning this communication or earlier communications from the Examiner with respect to the examination on the merits should be directed to James Ketter whose telephone number is (571) 272-0770. The Examiner normally can be reached on M-F (9:00-6:30), with alternate Fridays off.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Remy Yucel, can be reached at (571) 272-0781.


Art Unit: 1636

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to (571) 272-0547.

Patent applicants with problems or questions regarding electronic images that can be viewed in the Patent Application Information Retrieval system (PAIR) can now contact the USPTO's Patent Electronic Business Center (Patent EBC) for assistance. Representatives are available to answer your questions daily from 6 am to midnight (EST). The toll free number is (866) 217-9197. When calling please have your application serial or patent number, the type of document you are having an image problem with, the number of pages and the specific nature of the problem. The Patent Electronic Business Center will notify applicants of the resolution of the problem within 5-7 business days. Applicants can also check PAIR to confirm that the problem has been corrected. The USPTO's Patent Electronic Business Center is a complete service center supporting all patent business on the Internet. The USPTO's PAIR system provides Internet-based access to patent application status and history information. It also enables applicants to view the scanned images of their own application file folder(s) as well as general patent information available to the public.

For all other customer support, please call the USPTO Call Center (UCC) at 800-786-9199.

Jsk  
August 20, 2004



JAMES KETTER  
PRIMARY EXAMINER